

| 1 प 1 प 1 प | Document X US 5960447 A US 5872672 | | | | Current XR Retrie | | |
|--|---|----------|---|-----------------|--|--|-------------------------|
| า | US 5960447 | | | | MANAGED AND THE PARTY OF THE PA | eval Inventor | S C P 3 3 |
| PΓ | A US 5872672 | | | 715/500 | 704/235; | Holt: Douglas et | пррпрг |
| PΓ | , n | 19990216 | editing system for s System and method for | | 704/270 360/53; | Chliwnyj; Alex et | |
| 3333E | | 1 | monitoring and analy | zin | 360/69 | al. | 00000 |
| P 7 | US 5828514 | 19981027 | Servo error detection in a noisy environme | | 360/53; 360/60 | Chliwnyj; Alex et | пппппг |
| 2000 | US 5823455 | 19981020 | Belt-driven data | 242/340 | 242/342; | Hable; Mary R. et | |
| ** | A US 5765772 | 19980616 | storage device with Data cartridge corne | cor 242/342 | 242/352.4; | Bay; Randy S. et | |
| 222 28 : | ×Δ | ! | roller with etenned | bor | | al. | r c c r c r |
| 3000 4 3 | US 5669567 | : | 'drum time meanetic - | 242/355 | 242/355.1; 242/356; | Chiu; Ming-Jer | 0 0 0 0 0 0 |
| Ø F Γ | US 5639042 | 19970617 | Brake mechanism for | 242/354 | 242/355.1; | Chiu; Ming-Jer et | |
| 9999 | A US 5563747 | • | : madpotic_drum tane m | | 242/356.5 360/72.3 | al. Bae; Tae S. | |
| 333 | : 🔼 | ! | the counter distorti | ions. | 300, 12.3 | <u> </u> | ccccc |
| . E | US 5459619 | 19951017 | Method of reading recording data and a | 360/47 | | Colineau: Joseph | |
| E L | ÜS 5385315 | 19950131 | Tape-spool retention | 242/586 | 242/579 | et al. Rude: Edward T. et | |
| 888 3 " : " | A US 5365333 | 19941115 | member Apparatus for analyz | ing 356/244 | 356/32 | al. Wirth; Wayne M. et | |
| 999 4 : | iΔ | | tracking error in ma | aane. | | al. | |
| n a | US 5349236 | 19940920 | Reusable fixture for carrier tabe | | 206/713; 257/668; | Oshino; Fumio et | n r r n r r |
| p r | US 5294805 | 19940315 | Method and apparatus | 250/559.22 | 250/559.1; | Izraelev; Valentin | ccrccr |
| ************************************** | A US 5251844 | i | for analyzing tracki Gimbaled compliant | na 242/358 | 250/559.37 226/196.1; | M. Throatte Thomas | |
| E C | .:A | | ouide for tape drive | rs | 242/615.1 | Albrecht; Thomas R. et al. | |
| e u | US 5216556 | 19930601 | Method for optimized | | 242/334.6; | Steinberg; | |
| . A . | US 5212388 | 19930518 | tape tension adjustm Method for detecting | | 360/71; 250/559.26 | Mitchell R. et al. Izraelev: Valentin | E E C E C - |
| SSSS : | A US 5184228 | 19930202 | tracking error in ma | | 348/607; | ; ["La | |
| 333 3 : | Δ: | | Recording circuit fo | | 360/15; | Kobayashi; Toshiharu et al. | |
| R C | US 5164031 | 19921117 | Tape splicing method | | 156/159; | Matsuyama; | пссске |
| F - | US 5114093 | 19920519 | and apparatus Brake mechanism for | 242/355.1 | 156/258; 242/422.4; | Masavoshi et al. Kunimaru: Noritaka | |
| | A US 5113869 | 19920519 | reel stands of a tap | er: | 360/96.3 | et al. | 1 60 1 11 11 160 111 11 |
| 888 Í 🗀 🗀 | ; A | | Implantable ambulato electrocardiogram mo | | 128/903; 600/518 | Nappholz; Tibor A. et al. | |
| ₩ r | US 5050021 | 19910917 | Expanded micro casse | | 360/128 | Shu; Stephen K. et | r r r r r r |
| - A | US 4949203 | 19900814 | Dlaver-recorder Tape recorder having | an 360/85 | 360/95; | Kunimaru; Noritaka | |
| SSI 1 1 1 1 1 | A US 4930028 | 19900529 | improved cassette mo | ount: 360/85 | 360/96.5 | | |
| SSS : | ·A | | Tabe recorder | 200/02 | 360/130.22 | Kunimaru; Noritaka et al. | |
| e n | US 4893198 | 19900109 | Method and apparatus | | 345/473; | Little; Graeme M. | crrcrr |
| | US 4781964 | 19881101 | : : : : : : : : : : : : : : : : : : : | 428/141 | 352/87; 428/694BU; | Mizuno; Chiaki et | |

,

•

| | af.t | | (b | | | | व्याप्तरम्बद्धाः । | ebiki musi mari | | | | | *** | # |
|---------|------|-----|-----------------|------------|-----------------------------|-----------------------------|--------------------|------------------------|----------------------------|----------------|----------|------|--------------|-----------|
| | | | Document II | Higeus Dat | Paces T | itle | | Current XR Retrieva | l Inventor | e i | e | 9 | | |
| | F | Г | US 4774603 | 19880927 | Integral t | | 360/71 | 360/73.04 | Dong; John W. et | | | - n | ****** | - |
| | P | r | us 4749146 | 19880607 | Magnetic t | | 242/332.3 | 226/91; | Bridger; Graham et | г | ភ | 7 0 | r | Г |
| | F | r | NS 4747554 | 19880531 | Apparatus | | 242/527 | 226/97.1; 156/506; | al. Kubo; Toyohide | г | г 1 | ין ר | Г | r |
| | Þ | г | A US 4728563 | 19880301 | magnetic to Magnetic re | ecording | 428/212 | 242/532.1 428/400; | Saito; Shinji et | r | r i | - r | г | r |
| | F. | r | A US 4728558 | 19880301 | medium Magnetic re | ecoraing | 428/141 | 428/694B; 428/336; | Ono; Toshio et al. | r | r (|) II | r | r |
| *** | Ę | г | A US 4702948 | 19871027 | | ive tape with | | 428/694BN; 427/208; | Sieber-Gadient; | C | π. Ι | | г | C |
| ▒ | ₽. | ព | A US 4631602 | 19861223 | Process for | | 360/16 | 428/161; | Paul Chouinard; Michael | .;i | | | | :. |
| | | : : | A US 4560433 | 19851224 | Bi-direction | | 156/459 | 156/511; | P. et al. Frank; Ed | · | | . c | . | ÷ |
| | | | A US 4553176 | | Video reco | | 386/4 | 156/522; 386/31; | Mendrala; James A. | ٠ | |) II | į | ļ |
| | | | A US 4523133 | 19850611 | Tape trans | | 318/7 | 386/36 242/334.3; | Messenger; Carl | - | | . c | -ii | - |
| | | | A US 4490691 | 19841225 | Compressor | | 333/14 | 242/334.6; 381/106; | Dolby; Ray M. | · | | - r | | <u>.</u> |
| | Þ | r | A US 4382836 | 19830510 | Bi-direction | | 156/459 | 455/72 156/522; | Frank; Ed | r | r 1 | - I | r | r |
| | P | г | A US 4363041 | 19821207 | applicator Dual capsta | an tape | 360/71 | 156/523; 226/195; | Lelandais; Guy | | | - n | | ļ |
| | | : : | A US 4351007 | i | Editor for | | 360/13 | 242/334; | Youngquist; Robert | | |) II | | į |
| | | : | A US 4335857 | : | digitally Web aligni | recorded.audi. ng system | 242/346.2 | | J. Pfost; R. Fred et | | ••••• | | | ļ |
| | | | A US 4322262 | ; | | | 156/392 | 226/194; 156/425; | al. Cottam; Spencer D. | · | |) F | | - |
| | | . : | A US 4273601 | | conduits wi Method for | th sheet mat. | , 156/189 | 156/428; 156/184; | Weingart; Oscar | | ••••• | | | į |
| | | : : | A US 4264278 | : | production Blade or s | of elongated oar | 416/226 | 156/190; 156/189; | Weingart; Oscar | | | | į | ļ |
| | | | A US 4249218 | 19810203 | Method and | | 360/13 | 156/195; | Davis: Donald E. | | | 3 0 | | <u>.</u> |
| | | | A US 4234374 | 19801118 | for editing Bi-direction | n digitally r onal | 156/459 | 156/574 | et al. Frank; Ed | | | 1 6 | | ļ |
| | | | A US 4205356 | 19800527 | step-over t Erasing hea | tape…applicat ad | 360/118 | 360/66 | Tanaka; Fumio et | | | | | ļ |
| ╣ | ٠. | | A US 4203564 | : | Tape reel | | 242/606 | 242/608.8; | al. Nemoto; Tsuneo | | | , r | | |
| 鱗 | . : | | A US 4123789 | i | Magnetic ta | ape storage | 360/96.2 | 242/610.6 242/340; | Shatavsky; Rubin | ÷ | | | | :- |
| | | | A US 4085907 | • | and transpo | ert cartridge. | 242/345.2 | 242/345; 242/345.3 | Suzuki; Osamu et | | <u>.</u> | . c | | į |
| | | : | A US 4083508 | i | | e reel with | | i | al. Pattillo; Luther | | | بإ | · | :- |

.

| ***** | if.t.s | | 7 (t) e | | | | # 1587F30R6 755 IP | egajiki kwijigirinaci | | | | *** | # | ₩ |
|----------|------------|-----------|-----------|------------|-------|--|----------------------|--------------------------|---|------------|-------|--------------|----------|--------|
| I | 1441141 | | cument II | lissus Dat | Pages | | Current OR | Current XR Retrieva | Inventor | S. | c i | , | 8 3 | # |
| 2000 | : | Δ | | 19770621 | | Magnetic tape magazine | 242/343.2 | 242/344; 242/422.6 | Suzuki; Osamu et | П | r r | - 'r | L | r |
| | P 1 | - US | 4025917 | 19770524 | | Simplified time code reader with digital PDM | 341/52 | 329/312; 341/53; | DuBrul; James M. | П | ្រ ព | 7 6 | r | r |
| | F 1 | - US Δ | 4012793 | 19770315 | | Multioriented composite-surface tape | 360/130.23 | 242/345.1; 242/346; | Blanding; Douglass | Г | r r | ٦ | r | r |
| | F 1 | - US | 4012792 | 19770315 | | Magnetic head drum configuration having a | 360/130.24 | 226/196.1; 242/615.2 | L. Bloom; Richard M. | r | r: r | 7 r | Г: | ſ |
| | • • • • | - λ | | 19761116 | | Beadless woven stringer for a spiral slide fast | | 7.44,37.44,4.44 | Bainer; David C. | r: | ני נ | 2 r. | C | r |
| 200000 | | : 7 | | 19760914 | | Pinch rollers | 226/186 | 226/191; 226/194 | Maccaferri; Mario | С | n n | : c | r | Ĉ |
| 20000 | • | : 7 | | 19760330 | | Static magnetic erasing head | 360/118 | | Saito; Makoto et | r. | C (| 2 E | c | r |
| | - 1 | ٠, 7 | | 19760323 | | | 139/384B | 24/392 | al. Jakob; Horst | c | n n | : c | ı. | ľ |
| | | : 74 | | 19751021 | | woven-in slide lastener. Endless tape transporting device | 242/327.2 | 242/325; 242/615.1 | Hara; Satoshi et al. | Г | ר נ | Э Г | c | r. |
| | F 1 | US | 3872368 | 19750318 | | Multiplex signal program servo-mechanism. | 318/567 | 318/562; 318/568.1; | Friberg; Vincent | C I | r: r | . c | r. | r |
| | P 1 | - US | 3871420 | 19750318 | | | | 139/118; 139/384B; | P. et al. Jakob; Horst | Г | r r | т г | г | Г |
| | p (| US | 3825948 | 19740723 | | HIGH SPEED THERMAL DUPLICATION OF MAGNETIC | 360/16 | 360/71 | Hendershot, III; | r | r r | . r | ្រ | r |
| | P I | - US | 3777075 | 19731204 | | HIGH SPEED THERMAL DUPLICATION OF MAGNETIC | 360/17 | 226/25; 242/330; | William B. et al. Hendershot, III; | n | េរ | . r | r | ŗ |
| | E (| US | 3663764 | 19720516 | : : | AUTOMATIC TRACKING | 360/70 | 318/717 | William B. et al. Trost; Allen J. et | r. | r (| : r | ព | r |
| | ; | * TA | | 19720516 | | | 360/70 | 318/717 | al. Trost; Allen J. | c | r: r | : c | r | ŗ |
| | F. (| US | 3621404 | 19711116 | | METHOD AND APPARATUS FO. SIGNAL LEVEL CONTROL INSTRUMENT FOR SOUND TR | 324/620 | 324/119; 324/76.13; | Sven Hakan Sjogren | Г. | r (| ם כ | C | r |
| | R I | US N | 3621148 | 19711116 | | INSTRUMENT FOR SOUND TR ELECTROMAGNETIC RECORD HEAD TRANSDUCER AND SYS | 360/130.21 | | et al. Keith O. Johnson | c i | n r | : c | r | ٠ ۲ |
| | g (| . ÛS | 3552685 | 19710105 | | TAPE TRANSPORT ASSEMBLY | 242/343.2 | 242/338.1; 242/345.1; | Larsen; Raymond B. | Г | ר נ |) r | c | г |
| - | F 1 | JP | 01110757 | 20010420 | | MANUFACTURING METHOD OF SEMICONDUCTOR DEVICE | | 494LJ93alt | TAMON, SUSUMU et | c : | n . r | - - C | F | r |
| * | P r | JP | 01053116 | 20010223 | | TWO-LAYER TAB TAPE AND MANUFACTURE THEREOF | | | al. TAKAHASHI, GUNICHI et al. | r | гг | . r | r | r |
| | ۲ ت | JP | 09061105 | 19970307 | i i | METHOD AND DEVICE FOR MEASURING TAPE DISTORTI | **************** | | ABE, MAYUMI et al. | r | r , r | · r | r | r |
| | | Δ | | 19951020 | | MAGNETIC RECORDING/REPRODUCING D | | | TABUCHI, TOSHIAKI et al. | n i | r r | 7 7 | r | r |
| | F. τ | JР | 06084973 | 19940325 | | DIE BONDING TAPE | | | MURATA, AKIHIKO | E 1 | |) r | ព | Г |
| | F 1. | JP | 05334843 | 19931217 | | TAPE CASSETTE | | | NAKAMARU, KAZUKI | C I | c r | : c | r | r |
| | 7 | JP | 05041000 | 19930219 | !i | ROTATIONAL HEAD | | 360/71 | SAWADA, HIROYUKI | i.T.i.i | | | ្ន | Ţ |

•

| ****** | ******* | Qe 22 8 8 4 m | | | | | | | | | ₩ |
|------------|--------------------|------------------|-----------|--|--|-----------------------|---|---|------------------|----------|--------------|
| Ora | ŢЯ., | | | | Section of the sectio | Chikosopii dina | | | | | |
| | 1 | Document II | lasus Dat | | | Corrent XR Retriev | al Inventor | 5 (| . p | | 20 |
| ∭ F | . | US 3947891 | 19760330 | Static magnetic erasing | 360/118 | | Saito: Makoto et | r r | - T | n i | r |
| ₩- | | A US 3945407 | 19760323 | head Multiple filament | 139/384B | 24/392 | Jakob; Horst | · · · · · - · · · · | | | ٠ |
| **** | 2 ' | : A | : | woven-in slide fastener | | | | 12 12 | 1 1 1 | Πī | ГШ |
| ∭ F | r | ÛS 3913856 | 19751021 | Endless tape | 242/327.2 | 242/325; | Hara: Satoshi et | r r | חי | Γ (| r |
| # | | A US 3872368 | 19750318 | transporting device Multiplex signal | 318/567 | 242/615.1 318/562; | al. Friberg; Vincent | + | | | |
| 85951 | • | : A | • | program servo-mechanism | | 318/568.1; | P. et al. | FFF | 1 1 | Li | П |
| ₩ F | C | ÚS 3871420 | 19750318 | | 139/116.1 | | Jakob; Horst | r r | 7 E | r: t | c l |
| ₩ | | US 3825948 | 19740723 | FOR MANUFACTURING SLIDE HIGH SPEED THERMAL | 360/16 | 139/384B; 360/71 | Hendershot, III; | | | | ٠ |
| * | | | | DUPLICATION OF MAGNETIC | | | William B. et al. | СГ | : F: | T I | [:] |
| ₩ | o : | us 3777075 | 19731204 | HIGH SPEED THERMAL | 360/17 | 226/25; | Hendershot, III; | r. c | : 0 | r. (| c i |
| ₩: | | us 3663764 | 19720516 | DUPLICATION OF MAGNETIC AUTOMATIC TRACKING | 360/70 | 242/330; 318/717 | William B. et al. Trost: Allen J. et | | | | . |
| ₩. | | · 1A | | CIRCUIT FOR TRANSVERSE | <u>.</u> | i | al. | Сг | 1.5 | CI | П. II |
| ∭ ₽ | de: | บิร 3663763 | 19720516 | AUTOMATIC TRACKING | 360/70 | 318/717 | Trost; Allen J. | n c | េះ | E (| c |
| ₩- | | US 3621404 | 19711116 | METHOD AND APPARATUS FO SIGNAL LEVEL CONTROL | 324/620 | 324/119; | Sven Hakan Sjogren | - | <u></u> | ļ | |
| F | · 1.: | Δ | | INSTRUMENT FOR SOUND TR | | 324/76.13; | et al. | , c c | i : [] | CI | |
| ₩ ₽ | F | US 3621148 | 19711116 | ELECTROMAGNETIC RECORD | 360/130.21 | | Keith O. Johnson | ГГ | 1 17 | ГГ | F : 1 |
| ₩; | | US 3552685 | 19710105 | HEAD TRANSDUCER AND SYS TAPE TRANSPORT ASSEMBLY | 242/343.2 | 360/66; 242/338.1; | Larsen; Raymond B. | - | | - | |
| <u> </u> | | A | | | | 242/345.1; | | r: r | . r. | LI | 7 1 |
| P | Г. | JP | 20010420 | MANUFACTURING METHOD OF | | | TAMON, SUSUMU et | ГГ | т. | r r | r: : / |
| ₩ | េខ | 2001110757 | 20010223 | SEMICONDUCTOR DEVICE TWO-LAYER TAB TAPE AND | | | al. TAKAHASHI, GUNICHI | | ; | | |
| 333 | : | :2001053116 | | MANUFACTURE THEREOF | | | et al. | r: c | | 12:1 | 7 j l |
| ₩ F | T. | JP 09061105 | 19970307 | METHOD AND DEVICE FOR | | | ABE, MAYUMI et al. | c c | : r: | c r | r: ` 1 |
| | | A JP 07272359 | 19951020 | MEASURING TAPE DISTORTI | | | TABUCHI, TOSHIAKI | · | | ļ | |
| | | A | | RECORDING/REPRODUCING D | | | et al. | E C | ေင | וה: נ | 2 1 |
| S IS | 1.7 | JP 06084973 | 19940325 | DIE BONDING TAPE | | | MURATA, AKIHIKO | c n | | c r | |
| # <u> </u> | | A JP 05334843 | 19931217 | TAPE CASSETTE | | | NAKAMARU, KAZUKI | | | ļļ | |
| <u>"</u> | | 'A | | | | | Interior, Interior | n c | ្រ | וה נ | ⊇ [1 |
| Ø 6 | . 1 | JP 05041000 | 19930219 | ROTATIONAL HEAD | | 360/71 | SAWADA, HIROYUKI | ם ה | | D I | n li |
| - | , | A JP 04044656 | 19920214 | CYLINDER CYLINDER FOR | | 360/71 | et al. TSUJII, CHISATO | | | ļ | j- |
| 333 | | i A | 1 1 | INFORMATION RECORDING A | | 1 | 1 | ГГ | ווי | L l | - 1 |
| P | r | JP 62065006 | 19870324 | LOOSE TYPE OPTICAL | | 385/112; | HATANO, SATOSHI et | ГГ | i r | L t | n 1 |
| # - | | A JP 57176532 | 19821029 | FIBER CABLE MAGNETIC RECORDING | | 385/113 | al. TAKAGI, HIROTSUGU | . | | | |
| 9993 | | :Δ | ii | MEDIUM Flexible moving web | | <u> </u> | | rr | : : : : : | r | - 1 |
| ₩ ₽ | r | EP 491475 | 19920624 | | | 242/346.2 | ALBRECHT, THOMAS | n c | : c | Π. τ | 5 j |
| | | A1 GB 2117354 | 19831012 | ouide. Magnetic tape guiding | | 540/338 | ROBERT et al. | | : | : : | i |
| 1 ′ | 1.:) ********* | A | <u> </u> | system | | | PFOST, ROBERT FRED | cr | ; F: | n r | (|
| | | | | | | | | | | | |
| | | ≅ atat. | | | | | | | | <u> </u> | # |
| ****** | Gesals | 120 41641 | | | | | | | | | |
| | | | | | | | | | ***** | **** | 380 |

.

.



